

Information for Parents of Children who have Congenital Cataracts

What is a congenital cataract?

A congenital cataract is an opacity (cloudiness) in the lens of the eye that is present at, or develops shortly after birth. It can affect one or both eyes.

The lens is located behind the coloured iris and its job is to focus light on the retina (the photographic film at the back of the eye). The lens should be clear like glass but when a cataract is present it becomes cloudy and blurs or blocks the vision to the retina.

How does a congenital cataract affect the vision?

How the cataract affects the vision depends on the size, density and position of the cataract. If the cataract is slight then vision may develop normally. However if the cataract is significant then it will severely affect the development of vision.

In newborn infants and babies the cataract stops images from reaching the visual system (brain) and means the vision cannot develop and the child will not learn to see well out of the affected eye(s).

This causes amblyopia (poor vision caused by under-development of the visual system). If left untreated this reduced vision can be permanent.

What causes congenital cataract?

The usual cause is a genetic mistake in the code for the lens of the eye. This is sometimes inherited, but most occur spontaneously.

A small number of cases are related to other developmental abnormalities. Your child may be referred to a Paediatrician (specialist doctor for children) to rule out other problems.

What treatments are available for congenital cataracts?

If your child has a cataract that is affecting vision, then treatment needs to take place as soon as possible to allow visual development to occur as early as possible.

Sometimes treatment is not recommended if the cataract is mild or, if it is very dense and has been present for a long time. The most effective treatment is surgical removal of the lens that contains the cataract.

Because the lens has strong focusing power it needs to be replaced by either a false lens (intraocular lens implant) or by using a contact lens or glasses. These false lenses do not change the focus of images from near to distance like a normal human lens. Glasses or contact lenses are still needed to allow the child to see clearly for near and distance.

The Consultant Ophthalmologist will talk to you about the surgical options and risks.

Who will I see?

The Consultant Paediatric Ophthalmologist will manage the surgical treatment of the cataract. Your child will also be seen by the Orthoptist who will measure and monitor your child's vision and the Optometrist who will test for glasses and or contact lenses. You will be allocated an Orthoptist.

What happens after the surgery?

Unlike cataracts in adults, the operation to remove the cataract is only the beginning of the treatment. It is not a quick fix.



Eye Drops

Immediately after the surgery you will be given eye drops to put in your child's eyes at home. Initially the drops have to be put in every hour